# INVESTIGATOR'S ANNUAL REPORT

#### **National Park Service**

All or some of the information provided may be available to the public			
Reporting Year: 2004		Park: Shenandoah NP	
Principal Investigator:		Office Phone:	
Dr Shepard Zedaker		(540) 231-4855	
		Email:	
		zedaker@vt.edu	
Address:		Office Fax:	
Virginia Tech		(540) 231-3330	
Department of Forestry			
228 Cheatham Hall (0324) Blacksburg, VA 24061 US			
Additional investigators or key field assistants (first name, last name, office phone, office email):			
Name: Alan Biller	<b>Phone:</b> (540) 999-3497	Email: alan_biller@nps.gov	
Name: Jeff M. Matthews	<b>Phone:</b> (540) 231-9929	Email: jematthe@vt.edu	
Permit#:			
SHEN-2004-SCI-0001			

# SHEN-00293 Project Title:

Park-assigned Study Id. #:

Effect of fire intensity on post-fire abundance of invasive species along a temporal scale and their influence on native species composition and stand structure in Shenandoah National Park

Permit Start Date: Feb 01, 2004	Permit Expiration Date Apr 30, 2006
Study Start Date:	Study End Date
Feb 01, 2004	Apr 30, 2006

# **Study Status:**

Continuing

#### **Activity Type:**

Research

# Subject/Discipline:

Fire (Behavior, Ecology, Effects)

# **Objectives:**

In Shenandoah National Park, shade-tolerant and long-distance seed-disseminating invasive species are displacing native vegetation after wildfires. Invasives' rapid growth rate and physiological adaptations allow them to outcompete native plants in many habitats. The regeneration after fire disturbances is of great concren to national park land managers, because it controls the composition of future forest stands. Managers need information about the density and dominance of invasives, such as tree-of-heaven (Ailanthus altissima Miller) and Japanese stilit grass (Microstegium vinenium), to evaluate whether treatments will be necessary to re-establish native vegetation. This study will measure invasive species density, dominance, and effects on native vegetation structure and composition following varying levels of fire intensity along a temporal gradient of time since wildfire. By sampling vegetation, rating fire severity, and evaluating fuel loadings along a series of transects with fixed radius plots installed at predetermined increments, we will be able to determine the effects of wildfire on native and invasive flora. Information gained in this study will aid land managers in understanding vegetation response following wildfires and in evaluating invasive species infestations

# Findings and Status:

High intensity wildfires reduced species diversity initially but diversity returned to pre/unburned levels after 14 years.

Low intensity fires had the greatest inmact on the diversity in the shrub layer.

The presence of invasive species was related to site quality but was not affected by wildfire intensity.

Since most invasive species found were early successional species that are intolerant of shade, they are unlikely to persist after a wildfire which does not destroy the forest canopy.

Spending BAER funds for invasive plant control may only be warranted where the overstory has been completely distroyed			
For this study, were one or more specimens collected and removed from the park but not destroyed during analyses?			
Funding provided this reporting year by NPS:	Funding provided this reporting year by other sources: 30000		
Fill out the following ONLY IF the National Park Service supported this project in this reporting year by providing money to a university or college			
Full name of college or university:	Annual funding provided by NPS to university or college this reporting year:		
n/a	0		